


ungehärtet

non trempées

non temprate



ISO 2338



1) Radius oder Einsenkung zulässig  
1) Rayon ou concavité autorisé  
1) Fornibili con estremità arrotondate o smussate

Zylinderstifte

ungehärtet

Automatenstahl

- ~VSM 12771 A
- ~UNI 1707
- ~ČSN 022150
- Toleranz: m6

Bestellbeispiel: BN 1208 - 1x2

Goupilles cylindriques

non trempées

Acier de décolletage

- ~VSM 12771 A
- ~UNI 1707
- ~ČSN 022150
- Tolérance: m6

Exemple de commande: BN 1208 - 1x2

Spine cilindriche

non temprate

Acciaio automatico

- ~VSM 12771 A
- ~UNI 1707
- ~ČSN 022150
- Tolleranza: m6

Esempio d'ordine: BN 1208 - 1x2

BN 1208

blank  
clair  
grezzo



BN 1208

blank  
clair  
grezzo



d <sub>1</sub>	c~	L		
1	0,2	2		100
		3		100
		4		100
		5		100
		6		100
		8		100
		10		100
1,5	0,3	2		100
		4		100
		5		100
		6		100
		8		100
		10		100
		12		100
2	0,35	4		100
		5		100
		6		100
		8		100
		10		100
		12		100
		14		100
		16		100
		20		100
		25		100
2,5	0,4	5		100
		6		100


d <sub>1</sub>	c~	L		
2,5	0,4	8		100
		10		100
		12		100
		14		100
		16		100
		18		100
3	0,5	4		100
		5		100
		6		100
		8		100
		10		100
		12		100
		14		100
		16		100
		18		100
		20		100
4	0,63	25		100
		30		100
		35		100
		40		100
		6		100
		8		100
		10		100
		12		100
		14		100
		16		100
20		18		100
		20		100

ungehärtet

non trempées

non temprate

	ISO 2338			
--	----------	--	--	--



- 1) Radius oder Einsenkung zulässig
- 1) Rayon ou concavité autorisé
- 1) Fornibili con estremità arrotondate o smussate

BN 1208

blank

clair

grezzo



BN 1208

blank


clair

grezzo



d <sub>1</sub>	c~	L		
4	0,63	25	<input type="checkbox"/>	100
		28	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		32	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	100
5	0,8	8	<input type="checkbox"/>	100
		10	<input type="checkbox"/>	100
		12	<input type="checkbox"/>	100
		14	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		28	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	100
		50	<input type="checkbox"/>	100
6	1,2	60	<input type="checkbox"/>	100
		8	<input type="checkbox"/>	100
		10	<input type="checkbox"/>	100
		12	<input type="checkbox"/>	100
		14	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		28	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		32	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	100

d <sub>1</sub>	c~	L		
6	1,2	50	<input type="checkbox"/>	100
		55	<input type="checkbox"/>	100
		60	<input type="checkbox"/>	100
8	1,6	10	<input type="checkbox"/>	100
		12	<input type="checkbox"/>	100
		14	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		18	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		28	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		32	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	100
		50	<input type="checkbox"/>	100
		55	<input type="checkbox"/>	100
		60	<input type="checkbox"/>	100
10	2	70	<input type="checkbox"/>	100
		80	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	50
		50	<input type="checkbox"/>	50
		55	<input type="checkbox"/>	50
		60	<input type="checkbox"/>	50
		80	<input type="checkbox"/>	50
		100	<input type="checkbox"/>	50



Zylinderstifte

ungehärtet, gedreht

- Automatenstahl
- ~VSM 12771 B
  - ~UNI 1707
  - ~ČSN 022150
  - Toleranz: h8
- Bestellbeispiel: BN 855 - 1x3

Goupilles cylindriques

non trempées, décolletées

- Acier de décolletage
- ~VSM 12771 B
  - ~UNI 1707
  - ~ČSN 022150
  - Tolérance: h8
- Exemple de commande: BN 855 - 1x3

Spine cilindriche

non temprate, tornite

- Acciaio automatico
- ~VSM 12771 B
  - ~UNI 1707
  - ~ČSN 022150
  - Tolleranza: h8
- Esempio d'ordine: BN 855 - 1x3

BN 855

blank

clair

grezzo



BN 855

blank

clair

grezzo



d <sub>1</sub>	c~	L		
1	0,2	3		200
		4		200
		5		200
		6		200
		8		200
		10		200
		12		200
1,2	0,25	4		200
		5		200
		6		200
		8		200
		10		200
1,5	0,3	12		200
		3		200
		4		200
		5		200
		6		200
		8		200
		10		200
		12		200
		14		200
		16		200
2	0,35	20		200
		25		200
		3		200
		4		200
		5		200


d <sub>1</sub>	c~	L		
2	0,35	6		200
		8		200
		10		200
		12		200
		14		200
		16		200
		20		200
		25		200
		30		200
		35		200
2,5	0,4	4		200
		5		200
		6		200
		8		200
		10		200
		12		200
		14		200
		16		200
		20		200
		25		200
3	0,5	30		200
		4		200
		5		200
		6		200
		8		200
		10		200
		12		200
		16		200

ungehärtet

non trempées

non temprate

	ISO 2338	~DIN 7			
--	----------	--------	--	--	--



- 1) Radius oder Einsenkung zulässig  
1) Rayon ou concavité autorisé  
1) Fornibili con estremità arrotondate o smussate

BN 855

blank

clair

grezzo

BN 855

blank

clair

grezzo

d <sub>1</sub>	c~	L		
3	0,5	14	<input type="checkbox"/>	200
		16	<input type="checkbox"/>	200
		20	<input type="checkbox"/>	200
		25	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	100
		50	<input type="checkbox"/>	100
		60	<input type="checkbox"/>	100
4	0,63	6	<input type="checkbox"/>	100
		8	<input type="checkbox"/>	100
		10	<input type="checkbox"/>	100
		12	<input type="checkbox"/>	100
		14	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	100
		50	<input type="checkbox"/>	100
		55	<input type="checkbox"/>	100
5	0,8	6	<input type="checkbox"/>	100
		8	<input type="checkbox"/>	100
		10	<input type="checkbox"/>	100
		12	<input type="checkbox"/>	100
		14	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100


d <sub>1</sub>	c~	L		
5	0,8	50	<input type="checkbox"/>	100
		60	<input type="checkbox"/>	100
		70	<input type="checkbox"/>	100
		80	<input type="checkbox"/>	100
		90	<input type="checkbox"/>	100
		100	<input type="checkbox"/>	100
6	1,2	6	<input type="checkbox"/>	100
		8	<input type="checkbox"/>	100
		10	<input type="checkbox"/>	100
		12	<input type="checkbox"/>	100
		14	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100
		35	<input type="checkbox"/>	100
		40	<input type="checkbox"/>	100
		45	<input type="checkbox"/>	100
		50	<input type="checkbox"/>	100
		55	<input type="checkbox"/>	100
		60	<input type="checkbox"/>	100
		70	<input type="checkbox"/>	100
8	1,6	80	<input type="checkbox"/>	100
		90	<input type="checkbox"/>	100
		100	<input type="checkbox"/>	100
		120	<input type="checkbox"/>	100
		10	<input type="checkbox"/>	100
		12	<input type="checkbox"/>	100
		14	<input type="checkbox"/>	100
		16	<input type="checkbox"/>	100
		20	<input type="checkbox"/>	100
		25	<input type="checkbox"/>	100
		30	<input type="checkbox"/>	100

ungehärtet

non trempées

non temprate

	ISO 2338	~DIN 7			
--	----------	--------	--	--	--



- 1) Radius oder Einsenkung zulässig
- 1) Rayon ou concavité autorisé
- 1) Fornibili con estremità arrotondate o smussate

BN 855

blank  
clair  
grezzo



BN 855

blank  
clair  
grezzo



d <sub>1</sub>	c~	L		
8	1,6	55		100
		60		100
		65		100
		70		100
		80		100
		90		100
		100		100
		120		100
10	2	12		100
		14		100
		16		100
		20		100
		25		100
		30		100
		35		100
		40		100
		45		50
		50		50
		55		50
		60		50
		65		50
		70		50
		80		50
		90		50
		100		50
		120		50

d <sub>1</sub>	c~	L		
12	2,5	20		50
		25		50
		30		50
		35		50
		40		50
		45		50
		50		50
		60		50
		70		50
		80		50
		90		50
		100		50
16	3	120		50
		140		50
		40		25
		50		25
		60		25
		70		25
		80		25
		90		25
		100		25
		120		25
20	3,5	60		25
		80		25
		100		25
		120		1